PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

51) International Patent Classification 7:	1	(11) International Publication Number: WO 00/02462
A23L 1/304, A23C 9/152, A23G 3/00, 9/02, A23C 9/13	Al	(43) International Publication Date: 20 January 2000 (20,01,00)
21) International Application Number: PCITEP9 22) International Filing Date: 14 June 1999 (1- 30) Priority Data:	4.06.99 U TE DE	DK. ES, Fl. GB, HU, ID, H., IN, IS, JP, KE, KR, LK, LU, MG, MX, NO, NZ, PL, PT, RO, RU, SE, SG, SK, TR, UA, US, YU, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, 2W), Buropean patent (AT, BE, CH, CY, DE, DK, ES, Fl, FR, GB, GR, IE, T, LU, MC, N., FT, SD, OAH, MR, NE, SY, TD, TG, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).
(72) Inventors; and 75 Inventors; and 75 Inventors' Applicants (for US only): MALLANGI, draskdhar, R. (US/US); 2 Briar Lane, New Milft 06776 (US). SHER, Alexander, A. [US/US); 5910 M. Road, Rockwille, MD 20852 (US). FUCHS, Elber [US/US]; 7 Old Stagecoach Road, Gaylordsville, Clus). WEDBERA, Dharma, Yi [US/US]; 6 Helt New Milford, CT 06776 (US). WEDRAL, Etaile, (US/US), R.R. 2, P.O. BOX 490A, Chestrun Hill R. GYS4 (US). MERCHARL, Etaile, R. C. P.O. BOX 490A, Chestrun Hill R. Korsta, US/US), R.R. 2, P.O. BOX 490A, Chestrun Hill R. Korsta, Chestra, Chestr	ord, C fontros n, Can T 0677 ts Rose Regin oad, C	

(57) Abstract

A fortified foodstuff comprising a fortifying amount of a balanced blend of calcium factate and calcium carbonate stabilised with carbonate of glucuronic acid, and a process for its preparation which comprises mixing a balanced blend of calcium factate and calcium carbonate, adding a source of glucuronic acid, and adding to the foodstuff.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Siovenia
AM	Amueria	FI	Finland	LT	Lithuania	SK.	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Scnegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Terkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	MI.	Mali	TT	Trinidad and Tobaco
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	II.	Tsrael	MR	Mseritania	UG	Uganda
BY	Belares	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Jápan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
ÇM	Cameroon		Republic of Korea	PL,	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Gommany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
RE:	Estonia	LR	Liberia	SG	Singapore		

WO 00/02462 PCT/EP99/04078

FORTIFICATION OF FOODSTUFF

5

10

15

20

25

30

35

The present invention relates to the fortification of a foodstuff and more particularly to the fortification of a foodstuff with calcium.

Calcium is an important element in human diets for adequate bone formation and maintenance as well as other metabolic functions, e.g. nerve transmission, blood clotting, proper cell function and muscle contraction. It is common practice to fortify food products with calcium sources, which are either insoluble or soluble at around neutral pH. Many of the calcium sources currently used for fortification which are insoluble or substantially insoluble at around neutral pH, e.g. calcium carbonate, calcium phosphates, calcium citrate and other organic or inorganic acid salts of calcium, result in precipitation and a chalky mouth feel. Other calcium sources, which are soluble or substantially soluble at around neutral pH such as calcium chloride, calcium hydroxide and a few organic acid salts of calcium, react with milk proteins resulting in undesirable coagulation and gelation.

It is also common practice to stabilize or reduce the sedimentation of the calcium and milk proteins in the milk beverages fortified with calcium sources by adding carrageenans, pectins and/or other gums, but such materials impart an undesirably high viscosity to milk. Protein destabilisation, e.g. coagulation and precipitation, is mainly attributed to free calcium ions in the system.

It would be highly desirable to have a calcium source to fortify milk beverages and other dairy based products without coagulation, gelation and sedimentation, with improved palatability.

In co-pending USSN 08/822447 there is claimed a fortified foodstuff comprising a fortifying amount of a blend of calcium salts balanced with soluble and insoluble salts stabilized with a source of glucuronic acid. Examples of the soluble calcium salts are calcium lactate and calcium gluconate, calcium glycerophosphate, calcium chloride, etc. Examples of the insoluble calcium salts are tricalcium phosphate, dicalcium phosphate, calcium citrate and calcium carbonate. The weight ratio of soluble to insoluble salts may be from 1:3 to 3:1 and preferably from 1.5:2.5 to 2.5:1.5. However, in the Examples tested for fortifying milk using calcium citrate and calcium phosphate as the insoluble calcium salts, slight

sedimentation occurred during milk storage for two months under refrigerated conditions. Also, the use of tri-salt blends requires a large amount of water, as a result of which milk solids have to be adjusted, which cause additional technical and equipment problems (e.g., nonfat dry milk, liquifiers, pumps, more energy, etc). It is desirable to reduce the number of ingredients for easy handling in the factory. It should be also noted that calcium carbonate is less expensive and richer in calcium (40.04 %) then a blend of tricalcium phosphate (38.76%) and calcium citrate (24.12%). In addition, we have found that unless the soluble salt in the balanced mixture is calcium lactate, bitterness and off-flavor were found in the milk.

We have surprisingly found that a balanced blend consisting solely of soluble calcium lactate and insoluble calcium carbonate stabilized with a source of glucuronic acid is capable of fortifying milk beverages and other dairy based products. This calcium fortified milk can survive the heat treatment (pasteurization, UHT pasteurization and UHT sterilization, autoclaving) and storage at refrigerated conditions without coagulation and sedimentation for a 2 month period. No bitterness or off-flavor were found in this calcium fortified milk.

According to the present invention, there is provided a fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate stabilized with a source of glucuronic acid.

25 The ingredients can be added to the milk base individually or as a blend. The milk can then be ultrapasteurized without any additional pre-process (e.g., adjustment of solids) and pre-heat treatment.

The weight ratio of calcium lactate to calcium carbonate may be from 1:2 to 3:1 and preferably from 1:1.7 to 1:1.9.

The foodstuff may be milk or dairy based products such as a milk beverage, e.g., chocolate milk, confectionery product, ice cream or other beverages such as juices. If desired, other minerals or vitamins may be present in the foodstuff.

30

5

10

15

20

WO 00/02462 PCT/EP99/04078

The amount of the blend of calcium salts present in the fortified foodstuff may be from 0.05 to 5%, preferably from 0.1 to 1%, and more preferably from 0.2 to 0.4% by weight based on the weight of the foodstuff.

The source of glucuronic acid may be gum ghatti but is preferably gum arabic.

The amount of gum arabic present in the fortified foodstuff may be from 0.05 to 2.5%, preferably from 0.1 to 1.0%, and more preferably from 0.2 to 0.5% by weight based on the weight of the foodstuff. Although not wishing to be bound by theory, we believe that the glucuronic acid residues in gum arabic aid in suspending calcium by ionic binding without contributing significantly to viscosity.

Advantageously, a carrageenan may be present which may be the lambda- or iotaform but is preferably kappa-carrageenan. The amount of carrageenan present in the fortified foodstuff may be from 0.005 to 0.1%, preferably from 0.0075 to 0.05%, and more preferably from 0.01 to 0.03% by weight based on the weight of the foodstuff.

15

20

25

30

35

The fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium together with a source of glucuronic acid may be prepared by mixing of the balanced blend of calcium lactate and calcium carbonate, adding a source of glucuronic acid, and adding to the foodstuff.

The balanced blend of calcium lactate and calcium carbonate and the source of glucuronic acid may be added in the form of aqueous suspensions or as dry powders.

An alkaline agent may, if desired, be added to adjust the pH of the calcium fortified foodstuff. For instance, the pH of calcium fortified milk may be adjusted to 6.5-8.0 and preferably to 6.8-7.0: the pH of calcium fortified dairy based products may be adjusted to 6.0-8.0 and preferably to 6.5-7.0: the pH of calcium fortified ice cream products may be adjusted to 6.0-7.2 and preferably to 6.8-7.2: and the pH of calcium fortified beverages may be adjusted to 3.5-8.0 and preferably to 5.5-6.5. Any food grade alkaline agent may be used for neutralization, including but not limited to sodium hydroxide, potassium

10

15

20

hydroxide, ammonia hydroxide, magnesium hydroxide, sodium carbonate, sodium bicarbonate, potassium carbonate, and potassium bicarbonate.

Advantageously, a carrageenan may be added to the foodstuff, preferably before the balanced blend of calcium lactate and calcium carbonate is added to the foodstuff. The carrageenan may also be added to the foodstuff in the form of an aqueous suspension or as a dry powder.

If desired, the balanced blend of calcium lactate and calcium carbonate, the source of glucuronic acid, and optionally the carrageenan, may be mixed together and added as a powder.

EXAMPLES

The following Examples further illustrate the present invention.

Example 1

Calcium fortified skim milk

(Ca level: 50% RDA in 8 oz serving size)

16.5 g of kappa carrageenan and 275 g of gum Arabic were slowly added to 11 kg of skim milk in a liquifier under agitation and mixed for 5 minutes at high speed. Then 98 kg of skim milk was added to the liquifier under agitation.

25

30

35

126.5 g of calcium lactate pentahydrate, 216.7 g of micronized calcium carbonate and 110 g of potassium citrate were added to the milk with carrageenan and gum arabic under agitation, then speed of the liquifier was slowed. After 10 minutes of mixing, the pH of the calcium fortified milk was adjusted with 10% potassium hydroxide solution to 6.8-7.0.

The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F, and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F, aseptically filled in 250mL Tetra Brik Aseptic[®] packages (Tetra Pak Inc., Chicago IL) and stored in a refrigerator at 35-45°F for 10 weeks.

After 10 weeks the product was judged by a taste panel of 10 people, who found the milk to be stable, without sedimentation or coagulation, and of good flavor.

5 Example 2

15

20

25

Calcium fortified 2% fat chocolate milk (Ca level: 50% RDA in 8 oz serving size)

10 16.5 g of kappa carrageenan and 275 g of gum arabic were slowly added to 50 kg of 2% fat milk in a liquifier under agitation and was mixed for 5 minutes at high speed. Then 47 kg of 2% fat milk were added to the liquifier under agitatation.

126.5 g of calcium lactate pentahydrate, 216.7 g of micronized calcium carbonate, 110 g of potassium citrate, 283 g of nonfat dry milk, 1.0 kg of blend of cocca, salt and vanillin, and then 10.6 kg of high fructose corn syrop were added to the milk under agitation. The speed of the liquifier was slowed and after 10 minutes of mixing the pH of the calcium fortified milk was adjusted with 10% potassium hydroxide solution to 6.8-7.0.

The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F, aseptically filled in 250mL Tetra Brik Aseptic® packages (Tetra Pak Inc., Chicago IL) and stored in a refrigerator at 35-45 °F for 10 weeks.

After 10 weeks the product was judged by a taste panel of 10 people which found the milk to be stable, without sedimentation or coagulation, and of good flavor.

30 Example 3

Calcium fortified 2% fat milk with minerals and vitamins

(Ca level: 50% RDA in 8 oz serving size)

10

15

20

25

30

35

16.5 g of kappa carrageenan and 275 g of gum Arabic were slowly added to 50 kg of 2% fat milk in a liquifier under agitation and was mixed for 5 minutes at high speed. Then 59 kg of 2% fat milk was added to the liquifier under agitation.

126.5 g of calcium lactate pentahydrate, 216.7 g of micronized calcium carbonate, 110 g of potassium citrate and 42.6 g of mineral premix (magnesium phosphate, zinc oxide, potassium iodide and manganese sulfate monohydrate) were added to the milk under agitation. The speed of the liquifier was slowed and after 10 minutes of mixing the pH of the calcium fortified milk was adjusted with 10% potassium hydroxide solution to 6.8-7.0. Then 13.6 g of vitamin premix (vitamin A palmitate, vitamin D, vitamin E acetate, vitamin K, thiamine mononitrate, niacinamid, pyrodoxine hydrochloride, cyancobalamin B12, calcium pantothenate, boitin, riboflavin) was added under agitation.

The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F, and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F, aseptically filled in 250mL Tetra Brik Aseptic® packages (Tetra Pak Inc., Chicago IL) and stored in a refrigerator at 35-45 °F for 10 weeks.

After 10 weeks the product was judged by a taste panel of 10 people, which found the milk to be stable, without sedimentation or coagulation, and of good flavor.

Example 4.

Calcium fortified 2% fat chocolate milk with minerals and vitamins (Ca level: 50% RDA in 8 oz serving size)

A similar procedure to that described in Example 2 is followed but also using 16 minerals and vitamins.

The milk was preheated to 175°F, ultra high temperature (UHT) treated at 285°F for 5 sec by steam injection, flash cooled to 175°F and homogenized at 175°F and a pressure of 2500/500 psi. The milk was cooled to 40 °F, aseptically filled in 250mL Tetra Brik Aseptic[®] packages (Tetra Pak Inc., Chicago II.) and stored in a refrigerator at 35-45 °F for 10 weeks.

After 10 weeks the product was judged by a taste panel of 10 people which found the milk to be stable, without sedimentation or coagulation, and of good flavor.

5 Example 5

15

Calcium fortified skim milk

(Ca level: 50% RDA in 8 oz serving size)

- 0.165 g of kappa carrageenan and 2.75 g of gum Arabic were slowly added to 110 g of skim milk in a liquifier under agitation and was mixed for 5 minutes at high speed. Then 980 g of skim milk was added to the liquifier under agitation.
 - 1.265 g of calcium lactate pentahydrate, 2.167 g of micronized calcium carbonate and 1.10 g of potassium citrate were added to the milk with carrageenan and gum arabic under agitation, then the speed of the liquifier was slowed. After 10 minutes of mixing, the pH of the calcium fortified milk was adjusted with 10% potassium hydroxide solution to 6.8-7.0.
- The milk was preheated to 175°F and homogenized at a pressure of 2500/500 psi, filled in 125 mL glass jars and then autoclaved at 250 °F for 3 min, cooled and stored at room temperature.
- After 10 weeks the product was judged by a taste panel of 5 people, which found the milk to be stable, without sedimentation or coagulation.

Comparative Example A

30 A similar procedure to that described in Example 1 is followed but using calcium citrate instead of calcium carbonate.

The milk was stable during the processing but significant sedimentation occurred upon storage at 2° to 5°C after 5 weeks.

Comparative Example B

A similar procedure to that described in Example 1 is followed but using calcium 5 chloride instead of calcium lactate.

The milk had a significant bitterness and off-flavor.

25

CLAIMS:

- 1. A fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate stabilized with a source of glucuronic acid.
- 2. A fortified foodstuff according to claim 1 wherein the weight ratio of calcium lactate to calcium carbonate is from 1:2 to 3:1.
- A fortified foodstuff according to claim 1 or claim 2 wherein the foodstuff is
 milk or a dairy based product, a confectionery product, ice cream or a beverage.
 - 4. A fortified foodstuff according to any of claims 1 to 3 wherein other minerals or vitamins may be present in the foodstuff.
- 5. A fortified foodstuff according to any of claims 1 to 4 wherein the amount of the balanced blend of calcium lactate and calcium carbonate present in the fortified foodstuff is from 0.05 to 5% by weight based on the weight of the foodstuff.
- 6. A fortified foodstuff according to any of claims 1 to 5 wherein the source of glucuronic acid is gum Arabic.
 - 7. A fortified foodstuff according to claim 6 wherein the amount of gum Arabic present in the fortified foodstuff is from 0.05 to 2.5% by weight based on the weight of the foodstuff.
 - 8. A fortified foodstuff according to any of claims 1 to 7 wherein a carrageenan is present.
- 30 9. A fortified foodstuff according to claim 8 wherein the amount of carrageenan present in the fortified foodstuff is from 0.005 to 0.1% by weight based on the weight of the foodstuff.
- 10. A process for preparing a fortified foodstuff comprising a fortifying amount of a balanced blend of calcium lactate and calcium carbonate together with a source of glucuronic acid which comprises mixing the balanced blend of calcium lactate

10

and calcium carbonate, adding a source of glucuronic acid, and adding to the foodstuff.

- 11. A process according to claim 10 wherein the balanced blend of calcium lactate and calcium carbonate and the source of glucuronic acid are added in the form of aqueous suspensions or as dry powders.
 - 12. A process according to claim 10 or claim 11 wherein a carrageenan is added to the foodstuff.
 - 13. A process according to claim 12 wherein the carrageenan is added to the foodstuff in the form of an aqueous suspension or as a dry powder.
- 14. A process according to any of claims 10 to 13 wherein the balanced blend of calcium lactate and calcium carbonate, the source of glucuronic acid, and optionally a carrageenan, is mixed and added as a powder.

INTERNATIONAL SEARCH REPORT

		PCT/EP 99/04078
A. CLASSI IPC 7	FICATION OF SUBJECT MATTER A23L1/304 A23C9/152 A23G3/	00 A23G9/02 A23C9/13
According to	o international Patent Classification (IPC) or to both national class	sification and IPC
	SEARCHED	
IPC 7	cumentation searched (classification system tollowed by classifi A23L A23C A23G	ication symbols)
Documental	tion searched other than minimum documentation to the extent the	nat such documents are included in the fields searched
Electronic d	iata base consulted during the infernational search (name of data	a base and, where practical, search terms used)
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category *	Citation of document, with Indication, where appropriate, of the	e refevant passages Relevant to daim No.
A	DATABASE WPI Section Ch, Week 9729 Derwent Publications Ltd., Lone Class 805, AN 97-314183 XP002113465 8 JP 09 121811 A (ORIENTAL YEA: 13 May 1997 (1997-05-13) abstract	
Α	DATABASE WPI Section Ch, Week 9620 Derwent Publications Ltd., Lon Class Dil, AN 96-195244 XP002113466 & JP 08 066146 A (ORIENTAL YEA 12 March 1996 (1996-03-12) abstract	
X Furt	ther documents are listed in the continuation of box C.	X Patent family members are listed in arnex.
"A" docum cans) "E' earlier filling "L" docum which citatic "O" docum other	stegories of olded documents and defening the general state of the an which is not deemed to be of patient relevance document but published on or partie the international date. The patient of the patients of the patients of and which many throw doubt on priority, delines) or not of their appoint associal or separation or of their appoint associal or separation means are also as the patients of the patients with published point of the informational filling date but than they priority on the diament.	These document published after the international firing date or priority side and not in control with the application but cast but consented the prompts of theory underlying the "To consumer of perfective selectives the claims invention cannot be considered from considered from considered from considered from the considered to involve an invention selective selection the considered to the considered from the considered fro
Date of the	e actual completion of the international search	Date of mailing of the international search report
2	26 August 1999	03/09/1999
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 At 2280 HV Piswek Tel. (+31-70) 340-2040, Ts. 31 651 epo ri, Fax. (+31-70) 340-3018	Authorized officer Caturla Vicente, V

1

INTERNATIONAL SEARCH REPORT

In stone Application No PCT/EP 99/04078

		PC1/EP 99/	04070
C.(Continua Category 2	ition) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
A	DATABASE WPI Section Ch, Week 9725 Derwent Publications Ltd., London, GB; Class BOS, AN 97-275409 XPO02113467 & JP 09 098738 A (TAKARA SHUZO CO LTD), 15 April 1997 (1997-04-15) abstract		1,10
А,Р	EP 0 865 737 A (SOCIETE DES PRODIUTS NESTLE S.A.) 23 September 1998 (1998–09–23) cited in the application		

1

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int tional Application No PCT/EP 99/04078

Patent document cited in search report		t	Publication date		Patent family member(s)	Publication date
JP	9121811	A	13-05-1997	NON	3	·
JP	8066146	A	12-03-1996	NON		
JP	9098738	A	15-04-1997	NON		
EP	865737	Α	23-09-1998	US AU CN JP	5855936 A 5936598 A 1201612 A 10262611 A	05-01-1999 24-09-1998 16-12-1998 06-10-1998